


ENXERTIA DO PINHEIRO MANSO

FOTOS

Maio de 2008





Corte do lançamento a enxertar
(cavalo – a meio do terço médio,
após retirar as agulhas)



Abertura da fenda do
porta-enxerto



Preparação do garfo
em bisel -1

A close-up photograph of a person's hand holding a green pine branch. The hand is positioned to show the preparation of a garfo (garage) in a bevel - 2. The pine branch is held between the thumb and index finger, with the middle finger supporting it from below. The branch is cut at an angle, creating a bevel. The background is a blue and white patterned fabric. The text "Preparação do garfo em bisel - 2" is overlaid on the bottom left of the image.

Preparação do garfo
em bisel - 2

A close-up photograph showing a person's hand holding a green pine shoot. The shoot has a vertical cut in its stem. The person is wearing a red wristband and a gold ring. In the background, there are other pine shoots and a blue denim jacket. A white text box is overlaid on the bottom left of the image.

Colocação do garfo
na fenda do porta-enxerto



Aperto do enxerto com
fita de PVC



Colocação dos sacos (um saco de papel com um de plástico no interior previamente perfurado) - 1




Colocação dos sacos (um saco de papel com um de plástico no interior previamente perfurado) - 2

ENXERTIA DO PINHEIRO MANSO

FOTOS

Julho de 2008





Retirar saco de papel – um mês a
um mês e meio depois - 1




Retirar saco de papel – um mês a
um mês e meio depois - 2

ENXERTIA DO PINHEIRO MANSO

FOTOS

Setembro de 2008





Retirar saco plástico – um a dois meses
mais tarde, antes do fim do verão - 1




Retirar saco plástico – um a dois meses
mais tarde, antes do fim do verão - 2

ENXERTIA DO PINHEIRO MANSO

FOTOS

Abril de 2009





É aconselhável retirar a fita plástica um pouco antes do início da primavera seguinte, afim de defender esta zona que nesta altura está bastante frágil, dos rigores do inverno. - 1




É aconselhável retirar a fita plástica um pouco antes do início da primavera seguinte, afim de defender esta zona que nesta altura está bastante frágil, dos rigores do inverno. - 2




ENXERTIA DO PINHEIRO MANSO

FOTOS

Dezembro de 2009 - Desrama





Depois da enxertia, os ramos laterais tendem a tomar a dominância apical. Deverá ser realizada uma primeira desrama no inverno seguinte, para eliminar os lançamentos concorrentes - 2

Depois da enxertia, os ramos laterais tendem a tomar a dominância apical. Deverá ser realizada uma primeira desrama no inverno seguinte, para eliminar os lançamentos concorrentes - 1